I. FACILITY INFORMATION							
FRP NUMBER: FRP07A0023 FACILITY NAME	: Magellan Pipeline C	ompany - St	. Joseph Terminal				
FACILITY OWNER: Magellan Pipeline Company, L.LC							
FACILITY OPERATOR (if different from owner):							
MAILING ADDRESS: 963 Vernon Road	1						
CITY: Wathena	STATE: KS		ZIP: 66090				
TELEPHONE: 785-989-3448	FAX:						
LATITUDE: 39 ° 45 ′ 05 ″ N	LONGITUDE: _	<u>-94</u> ° <u>5</u>	<u>55</u> ′ <u>41</u> ″ <u>W</u>				
OTHER DESCRIPTION OR DIRECTIONS: located in Wath	ena, Kansas, west of	St. Joseph, I	MO				
		SITE LOC	ATION MAP ATTACHED: YES NO				
II. FACILITY OVERVIEW		English TY					
DATE OF INITIAL FACILITY OPERATION: 1969							
TOTAL STORAGE CAPACITY (bbls./gals): 3,619,243 galle	ons		# OF TANKS : 13				
WORST CASE DISCHARGE (bbls./gals): 55,280 bbls							
CAPACITY OF LARGEST ABOVE GROUND STORAGE TA	NK (bbls./gals): 2,32	1,890 gallor	is —				
NAME OF AFFECTED WATERWAY(S)/PROTECTED WATERWAY(S)/ENVIRONMENTALLY SENSITIVE AREA(S):							
surface drainage to the Missouri River							
Distance from Facility: <1/2 mile to the Missouri River							
RESPONSE CONTRACTOR(S): Haz-Mat Response, Inc., A	me Products Co.		<u>" </u>				
YES NO ⊠ □ STANDARD RESPONSE PLAN COVER SHEET	CUDAITTED WITH DI	A.N.					
 STANDARD RESPONSE PLAN COVER SHEET EMERGENCY RESPONSE ACTION PLAN SUBJECT 			ATE PART OF PLAN.				
□ ⊠ THE FACILITY RESPONSE PLAN FOLLOWS 40	CFR 112 APPENDIX I	FORMAT.	a, managara a antari				
III. FRP APPLICABILITY [40 CFR 112.20 (f)(1)]							
The facility transfers oil over water to or from vessels a gallons.	nd has a total oil stor	age capacity	greater than or equal to 42,000				
	-OR-		Harridge to America				
■ The facility's total oil storage is greater than or equal to '	million gallons, and o	one or the to	llowing is true:				
□ The facility does not have secondary containment for capacity	or each aboveground	storage are	a sufficiently large to contain the				
of the largest aboveground oil storage tank within ea	ch storage area plus	sufficient fre	eboard to allow for precipitation.				
The facility is located at a distance such that a disch sensitive environments.	arge from the facility of	could cause	injury to fish and wildlife and				
The facility is located at a distance such that a discha							
□ The facility has had a reportable oil spill in an amour	nt greater than or equa	al to 10,000	gallons within the last 5 years.				
□ Substantial Harm Facility	⊠ Signific		ostantial Harm Facility				
REVIEWED BY: Paul Doherty		DATE:	8/9/2011				
FRP STATUS:		DATE:					
APPROVED BY:		DATE:					

NOTE: The following checklist items correspond to the final regulations as outlined in 40 CFR 112.20, Appendix F. For all checklist items, indicate FRP adequacy as follows: adequately addressed (YES), deficient or not addressed (NO), or not applicable (N/A).

FRP NUMBER: FRP07A0023							
FACILITY NAME: Magellan Pipeline Company - St. Joe Terminal	YES	NO	N/A	Page	Comments		
1.0 Emergency Response Action Plan (ERAP). Several sections of the response plan should be collocated for easy access by response personnel during an actual emergency or oil spill [40CFR 112.20 (h)(1)].				y Addre ciencies	sed □ Minor Deficiencies □ Not Addressed		
Located in Front of Binder or Separate Binder	X				separate binder		
Does the Emergency Response Action Plan Contain the Following:							
a. Qualified Individual Information	Х				Section 2.2		
b. Emergency Notification Phone List	Х				Section 3.2		
c. Spill Response Notification Form	Х				Figure 3-1		
d. Response Equipment List and Location	Х		_		Figure 4-2		
e. Response Equipment Testing and Deployment	Х				Figure 4-3 and 4-4		
f. Facility Response Team	Х				Figure 3.1-3		
g. Evacuation Plan	Х		-		Section 2.3 and Figure 5-2		
h. Immediate Actions In Case of Spill	Х				Section 2.2		
i. Facility Diagram	Х				Figures 5-1 and 5-2		
2.0 Facility Information . The facility information form is designed to provide an overview of the site and a description of past activities at the facility [40 CFR 112.20 (h)(2)].				y Addre			
Overview of the Site	Х				Figure 1-3		
Description of Past Activities at the Facility	Х				Figure 1-3		
Facility Name and Location	Х				Figure 1-3		
Latitude and Longitude (Main Entrance)	Х				Figure 1-3		
Wellhead Protection Area (Safe Drinking Water Act of 1986)	X				Figure 1-3		
Owner/Operator	Х				Figure 1-3		
Qualified Individual (i.e. person or persons with full authority to implement the facility response plan)	Х				Section 4.5		
Date of Oil Storage Start-up: 1969	Х				Figure 1-3		
Description of Current Operation (including SIC code)	X				Figure 1-3		
Dates and Type of Substantial Expansion	Х				Figure 1-3		
Date of Last FRP Update: Nov 2010	Х				Received February 2011		

FRP NUMBER: FRP07A0023					
FACILITY NAME: Magellan Pipeline Company - St. Joe Ferminal	YES	NO	N/A	Page	Comments
3.0 Emergency Response Information. Information provided in this section shall describe what will be needed in an actual emergency involving the discharge of oil or a combination of hazardous substances and oil discharge [40 CFR 112.20 (h)(3)].		ssed □ Minor Deficiencies □ Not Addressed			
3.1 Notification.		No.		N DOM:	pulsenger has been at an income!
Emergency Notification Phone List. Identifies and prioritizes the names and phone numbers of the organizations and personnel that need to be notified immediately in the event of an emergency.	X				Figure 3.1-3
National Response Center	X				Figure 3.1-3
Qualified Individual	Х				Figure 3.1-3
Company or Facility Response Team	Х				Figure 3.1-3
Federal On-Scene Coordinator (FOSC) and/or Regional Response Center (RRC)	Х				Figure 3.1-3
Local response team	Х				Figure 3.1-3
Fire Marshall	Х				Figure 3.1-3
State Emergency Response Commission (SERC)	Х				Figure 3.1-3
State Police	Х				Figure 3.1-3
Local Emergency Planning Committee (LEPC)	Х				Figure 3.1-3
Local water supply system	Х				Figure 3.1-3
Weather report	Х				Figure 3.1-3
Local television/radio stations for evacuation notification	Х				Figure 3.1-3
Hospitals	Х				Figure 3.1-3
Other Appropriate Phone Numbers for the Facility	Х				Figure 3.1-3
Phone Numbers Verified	Х				Figure 3.1-3; "as needed"?
Contact List Accessible to all Facility Employees	Х				Figure 1-2
Spill Response Notification Form. A checklist of information that shall be provided to the National Response Center (NRC) & other response personnel.	X				Figure 3.1-2
Reporter's name	Х				Figure 3.1-2
Company information	Х				Figure 3.1-2
Date and time of incident	Х				Figure 3.1-2
Incident description	Х				Figure 3.1-2

FRP NUMBER: FRP07A0023					
FACILITY NAME: Magellan Pipeline Company - St. Joe Terminal	YES	NO	N/A	Page	Comments
Material released and estimated volume	X			•	Figure 3.1-2
Response action	X				Figure 3.1-2
Impacted areas	X				Figure 3.1-2
Evacuations, injuries, and estimated damage assessment	Х				Figure 3.1-2
3.2 Facility's Emergency Response Equipment . Persoclassified Oil Spill Response Organization (OSRO) contra		ind equ	ipment	lists not	required if facility has contracted with a
Location of Response Equipment	Х				warehouse building
Location of Response Equipment is shown on Facility Diagram	Х				Figure 1
Description of Emergency Equipment	X				OSRO-owned equipment
Skimmers/Pumps	Х				OSRO-owned equipment
Hard Boom	Х				150' of hard boom identified; equivalent containment strategy described in Appendix D.5.1
Vacuum Trucks	Х				OSRO-owned equipment
Sorbents	X			,	varies
Heavy Equipment	Х				OSRO-owned equipment
Boats/Motors	Х				OSRO-owned equipment
Dispersants/Application Equipment	Х			=	OSRO-owned equipment
Fire Fighting and Personal Protective Equipment	X				OSRO-owned equipment
Communication Equipment	Х				Section 7.1.6
Other Removal Equipment					OSRO-owned equipment
Amount of Oil that Emergency Equipment can handle	X				Figure 7.3-3
Any Limitation of Equipment	Х				Figure 7.3-3
3.3 Response Equipment Tests & Deployment Drills.				We Jee	
Last inspection or equipment test date. Inspection/test procedures and schedules required for all facility equipment listed.	Х				Figures A.1-2; A.1-3 and A.1-4
Inspection frequency	Х				Figures A.1-2; A.1-3 and A.1-4
Inspection log book is maintained	Х				Figures A.1-2; A.1-3 and A.1-4
Last deployment drill date	Х				Figures A.1-2; A.1-3 and A.1-4

FRP NUMBER: FRP07A0023					
FACILITY NAME: Magellan Pipeline Company - St. Joe Ferminal	YES	NO	N/A	Page	Comments
Deployment frequency	Х				Figures A.1-2; A.1-3 and A.1-4
OSRO Certification (if applicable)	Х	l			Section B.1.1
3.4 Facility Response Personnel. List of all personnel, infor response activities, the amount of time needed for personned for response training.					
Emergency Response Personnel	Х				Figure 3.1-3
Emergency Response Contractors (both primary and secondary)	Х				Figure 3.1-3 and Appendix B
Evidence of Response Capability	Х				Appendix B
Facility Response Team	Х				Figure 3.1-3
3.5 Evacuation Plan.					phopping the ship heads by
Facility-wide evacuation plan is provided	Х				Section 2.3
Evacuation Plan Diagram is provided	X				Figure 2
Location of stored materials is indicated	Х				Figures 1
Hazards imposed by the spilled material are indicated	Х				Section 2.1.6
Spill flow direction(s) are indicated	Х				Figure C-6 and C-7
Prevailing wind speed and direction are indicated	Х				Section 2.3
Evacuation routes from the facility are indicated	Х				Figure 2
Alternative routes of evacuation are indicated	Х			į	Figure 2
Arrival route of response personnel and equipment are indicated	Х				Section 2.3
Selection of a mitigation command center is indicated	Х		19	_	Figure 2
Location of alarm/notification systems are indicated	Х				Section 2.3
Transportation route of injured personnel to nearest hospital is provided	Х				Section 2.3
Location of shelter at facility as an evacuation alternative	х				Section 2.3
Check-in area for evacuation validation (roll-call) is indicated	Х				Figure 2
Reference to existing community evacuation plans	Х				Section 2.3
3.6 Responsibilities of Qualified Individuals at the Fa	cility i	n the E	vent o	f an Em	ergency.
Description of duties	Х				Section 4.5

FRP NUMBER: FRP07A0023					
FACILITY NAME: Magellan Pipeline Company - St. Joe Terminal	YES	NO	N/A	Page	Comments
Duties are consistent with requirements	Х				Section 2.3
Authority to access company funding	Х				Section 2.3
Note: The information provided in the emergency respons to a worst case discharge and will identify additional assis					ssment of the facility's ability to respond
4.0 Hazard Evaluation . This section requires the facility owner or operator to examine the facility's operations closely and to predict where discharge could occur [40CFR 112.20 (h)(4)].				y Addre ciencies	
4.1 Hazard Identification. Tank and Surface Impoundmen	t (SI) for	rms, or	their equ	uivalent.	
Schematic drawing of facility (identical to SPCC plan schematic)	Х				Figure 1
 Labeled Schematic Drawing 	Х				Figure 1
 Above Ground Tanks Identified Separately 	Х				Figure 1
 Below Ground Tanks Identified Separately 			Х		
Surface Impoundments Identified Separately			Х		
Tank Form Requirements:					
Tank or SI number	Х				Figure C-4
Substance stored	Х				Figure C-4
Quantity stored (bbls./gals)	Х				Figure C-4
Tank type and year Installed	Х	-			Figure C-4
Maximum Capacity (gallons)	Х				Figure C-4
Failure/Cause	Х				Figure C-4
Labeled schematic of tanks included in plan	х			1	Figure 1
 Is secondary containment identified for each tank? 	×				Figure C-4
Surface Impoundment Form Requirements:					
Surface Impoundment Number			Х		
Substance stored			X		16 4
Quantity stored (gallons)			X		
Surface area/year (ft²)			Х		
Maximum Capacity (gallons)			Х		
Failure/Cause			Х		

FRP NUMBER: FRP07A0023					
FACILITY NAME: Magellan Pipeline Company - St. Joe Ferminal	YES	NO	N/A	Page	Comments
Labeled schematic of surface impoundments included in plan			Х		4 &
Description of facility operations					
■ Loading/unloading of transportation vehicles	X				Figure 1-3
Pipelines plus Loading RacksVolumes:Over-water Volumes:		:		:	57,330, 000 gas and 25,200,000 gal distillates annually
 Day-to-day operations that may present a risk of oil discharge 	Х	ß			Figure C-4
Normal daily throughput for the facility	Х	=			Figure 1-3
					160,000 gal/day gas and 69,000 gal/day distillates
 Secondary containment volume associated with each tank and/or transfer points 	Х				Figure C-4
4.2 Vulnerability Analysis. Shall address the potential effe	ects (i.e.	. to hum	an heal	th, prope	rty, or the environment) of an oil spill:
Planning Distance Calculations per 40 CFR 112 Appendix C	Х				Figure D.4-2
Are the calculations correct (see attached Planning Distance Calculations Worksheet)?	Х				Figure D.4-2
Vulnerability analysis addresses the potential effects of an oil spill to the following targets:	4				
Water intakes	Х				Sections 6.6. and 6.7;
Schools	Х				Sections 6.6. and 6.7; none identified
Medical facilities	Х				Sections 6.6. and 6.7; none identified
Residential areas	Х				Sections 6.6. and 6.7; none identified
Businesses	Х				Sections 6.6. and 6.7;
 Wetlands or other sensitive environments 	Х				Sections 6.6. and 6.7
Fish and wildlife	Х				Sections 6.6. and 6.7
Lakes and streams	Х				Sections 6.6. and 6.7
Endangered flora and fauna	Х				Sections 6.6. and 6.7
Recreational areas	Х				Sections 6.6. and 6.7
Transportation routes	Х			1	Sections 6.6. and 6.7
• Utilities	Х				Sections 6.6. and 6.7
Other areas of economic importance	Х				Sections 6.6. and 6.7

IV. FACILITY RESPONSE PLAN REVIEW					
FRP NUMBER: FRP07A0023					
FACILITY NAME: Magellan Pipeline Company - St. Joe Terminal	YES	NO	N/A	Page	Comments
4.3 Analysis of the Potential for an Oil Spill. Each own	ner or op	erator s	shall ane	alyze the	probability of a spill occurring at the facility.
Potential for a spill to occur at the facility	Х				Appendix D.2.1
Incorporates Factors:					
Spill history	Х				Figure C-13
Horizontal range of a potential spill	X				Figure D.4-1
Vulnerability to natural disaster	Х				Figure D.2-1
Age and condition of tanks and equipment	Х				Figure C-4
Other:					
4.4 Facility Reportable Oil Spill History. Brief description the extent that such information is reasonably identifiable.	on of the	facility'	s reporta	able oil s	pill history for the entire life of the facility to
Date of discharge(s)	Х				Figure C-13
List of discharge(s) causes	Х				Figure C-13
Material(s) discharged	Х				Figure C-13
Amount discharged in gallons	Х				Figure C-13
Amount of discharge that reached navigable waters	Х				Figure C-13
Effectiveness and capacity of secondary containment			Х		no spills to navigable waters reported
Clean-up action(s) taken			х		
Steps taken to reduce possibility of recurrence			Х		
Total storage capacity of the tank(s) or impoundment(s) from which material is discharged			X		
Effectiveness of monitoring equipment			Х		
Description of how each spill was detected			Х		
5.0 Discharge Scenarios. The owner or operator is required to provide a description of the facility's worst case discharge, as well as a small and medium spill, as appropriate [40 CFR 112.20 (h)(5)].				ly Addre	
5.1 Small and Medium Volume Discharges.		N. T.			the alk and rough
Small Volume Discharges: A discharge equal to or less th probable discharge is the lesser of 50 barrels (2,100 gallons complex, the greater of the two should be used as the small	s) or 1 p	percent c	of the W	0 CFR 1 CD [see	12.20 (h)(5)(ii)]. USCG average most 33 CFR 154 Appendix C]. If the facility is a
Small volume discharge calculation for a facility Small volume discharge in plan: (bbls/gals)	X		= =		Section D.5

IV. FACILITY RESPONSE PLAN REVIEW			JY in		
FRP NUMBER: FRP07A0023					
FACILITY NAME: Magellan Pipeline Company - St. Joe Terminal	YES	NO	N/A	Page	Comments
Medium Volume Discharge: Medium volume discharge is percent of the capacity of the largest tank at the facility, whi 40 CFR 112.20 (h)(5)(iii)]. USCG maximum most probable WCD [see 33 CFR 154 Appendix C]. If the facility is a com	chever i dischar	s less, p ge is the	rovided e lesser	that this of 1,200 b	amount is less than the WCD amount [see parrels (50,400 gallons) or 10 percent of the
Medium volume discharge calculation for a facility Medium volume discharge in plan:	Х				Figure D.5
Small and Medium Volume Discharge Analysis					
 Correct average and maximum most probable discharge for "complexes" 			Х		not applicable
 1,000 feet of boom (1 hour deployment time) 	Х		-		160' on site; equivalent containment strategy described in Appendix D.5.1
Correct amount of boom for "complexes"			Х		not applicable
 Oil recovery devices equal to small and medium discharge (2 hour recovery time) 	X				Section 7.1.1
Oil storage capacity for recovered material	Х				Section 7.1.1
 Scenarios take into account all applicable facility operations including: 					
- Loading and unloading of surface transportation	Х				Section D-5
- Facility maintenance	Х				Section D-5
- Facility piping	X				Section D-5
- Pumping station and sumps	Х				Section D-5
- Oil storage tanks	Х				Section D-5
- Vehicle refueling	Х				Section D-5
- Age and condition of facility and components	Х				Section D-5
- Other:	(%				
5.2 Worst Case Discharge (WCD). WCD calculations sh that are regulated by EPA and the USCG must also consider p 33 CFR 154.1029]. Owners or operators of complex facilities t WCD derived by EPA and the USCG and plan for whichever vo	lanning hat are r	for the V egulate	VCD at d by EP	the transp	portation-related portion of the facility [see
Description of the WCD scenario provided WCD volume in plan: 54,283 bbls (bbls/gals)	X				Section D.7
Correct WCD calculations	Х				Section D.7
Correct WCD for "complexes"			Х		not applicable
Sufficient response resources for WCD	Х				Section D.7; Appendix B

FRP NUMBER: FRP07A0023					
FACILITY NAME: Magellan Pipeline Company - St. Joe Terminal	YES	NO	N/A	Page	Comments
Sources and quantity of equipment for response to WCD	Х				Section D.7; Appendix B
Correct Response Planning Volumes	X				Section D.7; Appendix B
Worst Case Discharge Planning Volume:	X				Section D.7; Appendix B
On Water Planning(s):	X			-	Section D.7; Appendix B
Shoreline Cleanup Planning Volume(s):	X				Section D.7; Appendix B
Are planning volumes > contracting caps?	X				Section D.7; Appendix B
 If yes, are sources of equipment identified to reach the planning volume? 	Х				Section D.7; Appendix B
 Are locations and quantities of equipment considered and arrangements made to obtain additional equipment included? 	X				Section D.7; Appendix B
Oil storage capacity for recovered material	Х				Section D.7; Appendix B
6.0 Discharge Detection Systems. The facility owner or operator should provide a detailed description of the procedures and equipment used to detect discharges [40]				y Addre	
CFR 112.20 (h)(6)].		_ 1010.	OI Dell		s I Not Addressed
CFR 112.20 (h)(6)]. 6.1 Discharge Detection by Personnel.		_ maj			
CFR 112.20 (h)(6)]. 6.1 Discharge Detection by Personnel. Detection procedures	X				Section D.3; Figure D.3-1
CFR 112.20 (h)(6)]. 6.1 Discharge Detection by Personnel. Detection procedures Description of facility inspections	Х			Orenoic	Section D.3; Figure D.3-1 Section D.3; Figure D.3-1: Figure C-10
CFR 112.20 (h)(6)]. 6.1 Discharge Detection by Personnel. Detection procedures Description of facility inspections Initial response actions					Section D.3; Figure D.3-1
CFR 112.20 (h)(6)]. 6.1 Discharge Detection by Personnel. Detection procedures Description of facility inspections Initial response actions 6.2 Automated Discharge Detection.	X				Section D.3; Figure D.3-1 Section D.3; Figure D.3-1: Figure C-10
CFR 112.20 (h)(6)]. 6.1 Discharge Detection by Personnel. Detection procedures Description of facility inspections Initial response actions	Х				Section D.3; Figure D.3-1 Section D.3; Figure D.3-1: Figure C-10
CFR 112.20 (h)(6)]. 6.1 Discharge Detection by Personnel. Detection procedures Description of facility inspections Initial response actions 6.2 Automated Discharge Detection.	X				Section D.3; Figure D.3-1 Section D.3; Figure D.3-1: Figure C-10 Section D.3; Figure 2-1
CFR 112.20 (h)(6)]. 6.1 Discharge Detection by Personnel. Detection procedures Description of facility inspections Initial response actions 6.2 Automated Discharge Detection. Equipment description	X X				Section D.3; Figure D.3-1 Section D.3; Figure D.3-1: Figure C-10 Section D.3; Figure 2-1 Section D.3; Figure D.3-1
CFR 112.20 (h)(6)]. 6.1 Discharge Detection by Personnel. Detection procedures Description of facility inspections Initial response actions 6.2 Automated Discharge Detection. Equipment description Alarm verification procedures	X X X				Section D.3; Figure D.3-1 Section D.3; Figure D.3-1: Figure C-10 Section D.3; Figure 2-1 Section D.3; Figure D.3-1 Section D.3; Figure D.3-1
CFR 112.20 (h)(6)]. 6.1 Discharge Detection by Personnel. Detection procedures Description of facility inspections Initial response actions 6.2 Automated Discharge Detection. Equipment description Alarm verification procedures Initial response actions	X X X X	X Ade	equatel	y Addre	Section D.3; Figure D.3-1 Section D.3; Figure D.3-1: Figure C-10 Section D.3; Figure 2-1 Section D.3; Figure D.3-1 Section D.3; Figure D.3-1 Section D.3; Figure 2-1 Section D.3; Figure D.3-1
CFR 112.20 (h)(6)]. 6.1 Discharge Detection by Personnel. Detection procedures Description of facility inspections Initial response actions 6.2 Automated Discharge Detection. Equipment description Alarm verification procedures Initial response actions System inspection frequency 7.0 Plan Implementation. Owners or operators must explain in detail how to implement the facility's emergency	X X X X	X Ade	equatel	y Addre	Section D.3; Figure D.3-1 Section D.3; Figure D.3-1: Figure C-10 Section D.3; Figure 2-1 Section D.3; Figure D.3-1 Section D.3; Figure D.3-1 Section D.3; Figure 2-1 Section D.3; Figure D.3-1
CFR 112.20 (h)(6)]. 6.1 Discharge Detection by Personnel. Detection procedures Description of facility inspections Initial response actions 6.2 Automated Discharge Detection. Equipment description Alarm verification procedures Initial response actions System inspection frequency 7.0 Plan Implementation. Owners or operators must explain in detail how to implement the facility's emergency response plan [40 CFR 112.20 (h)(7)].	X X X X	X Ade	equatel	y Addre	Section D.3; Figure D.3-1 Section D.3; Figure D.3-1: Figure C-10 Section D.3; Figure 2-1 Section D.3; Figure D.3-1 Section D.3; Figure D.3-1 Section D.3; Figure 2-1 Section D.3; Figure D.3-1
6.1 Discharge Detection by Personnel. Detection procedures Description of facility inspections Initial response actions 6.2 Automated Discharge Detection. Equipment description Alarm verification procedures Initial response actions System inspection frequency 7.0 Plan Implementation. Owners or operators must explain in detail how to implement the facility's emergency response plan [40 CFR 112.20 (h)(7)]. 7.1 Response Resources. Demonstration of accessibility of proper response personnel and equipment for small, medium and	X X X X	X Ade	equatel	y Addre	Section D.3; Figure D.3-1 Section D.3; Figure D.3-1: Figure C-10 Section D.3; Figure 2-1 Section D.3; Figure D.3-1 Section D.3; Figure D.3-1 Section D.3; Figure D.3-1 Section D.3; Figure 2-1 Section D.3; Figure D.3-1

FRP NUMBER: FRP07A0023					The state of the s
FACILITY NAME: Magellan Pipeline Company - St. Joe Terminal	YES	NO	N/A	Page	Comments
Additional contracted help	Х				Appendix B
Access to additional equipment/experts	Х				Appendix B
Ability to implement plan including training and practice drills	Х				Appendix A
Immediate actions form for small, medium, and worst-case spills	Х				Figure 2-1
7.2 Disposal Plans.	M		D8	· Paul	king while he says weenless?
Disposal plan provided	Х				Section 5.5; Section 7.3; Figure 7.3-2
Disposal plan addresses federal, state, and local permit requirements as appropriate.	Х				Section 5.5; Section 7.3; Figure 7.3-2
7.3 Containment and Drainage Planning.					
Containment and drainage plan available	Х				Appendix C
Incorporates Factors:					
Available containment volume	Х				Appendix C
 Drainage routes from oil storage and transfer areas 	Х				Appendix C
 Construction materials used in drainage troughs 	Х				Figure C-15
 Type and number of valves and separators 	Х				Figure 1
Sump pump capacities	Х				Figure C-15
 Containment capacity of weirs and booms 	Х				Figure C-15
Other cleanup materials	Х				Appendix B
8.0 Self-Inspection, Drills/Exercises, and Response Training. The owner or operator must develop programs for facility response training and for drills/exercises according to the requirements of [40 CFR 112.20 (h)(8)].				y Addre	
8.1 Facility Self-Inspection.					
Records maintained for five years	Х				Figure C-10; records maintained for 3 years
Inspection checklist	Х				Figure C-10 and C-11
Inspection frequency	Х				Figure C-10 and C-11
3.1.1 Tank Inspection.		X.J			The second second second
Check tank for corrosion, leaks, and integrity	Х				Figure C-10 and C-11
Check foundation for corrosion, leaks, and integrity	Х				Figure C-10 and C-11

FRP NUMBER: FRP07A0023					
FACILITY NAME: Magellan Pipeline Company - St. Joe Terminal	YES	NO	N/A	Page	Comments
Check piping for corrosion, leaks, and integrity	Х			:	Figure C-10 and C-11
8.1.2 Response Equipment Inspection.		2 1			
Inventory (item and quantity)	Х				Section 7.1; Figure D.3-1
Storage location(s)	Х				Figure D.3-1
Accessibility (time to access and respond to spill)	Х				Figure D.3-1
Operational status/condition of equipment	Х				Section 7.1; Figure D.3-1
Actual use/testing of equipment (last test date and frequency of testing)	Х	1			Section 7.1.2; Figure D.3-1
Shelf life of equipment (present age, expected replacement date)	Х		=		Figure D.3-1; blank form only
8.1.3 Secondary Containment Inspection.					
Dike or berm system (precipitation, valve condition, permeability, debris, and erosion)	Х				Figure C-10
Secondary containment (precipitation, valve condition, permeability, debris, and product)	X				Figure C-10
Retention and drainage ponds (available capacity, debris, erosion, product, and stressed vegetation)	Х				Figure C-10
8.2 Facility Drills/Exercises.					
Facility drills/exercise description	Х				Figures A.1-1 and A.1-2
Equipment deployment exercises	Х				Figures A.1-1 and A.1-2
Unannounced exercises	Х				Figures A.1-1 and A.1-2
Area Exercises	Х				Figures A.1-1 and A.1-2
Qualified Individual Notification Drills	Х				Figures A.1-1 and A.1-2
Qualified Individual Notification Drill Log	Х				Figures A.1-1 and A.1-2
Spill Management Team Table Top Exercises	Х			В	Figures A.1-1 and A.1-2
Spill Management Team Table Top Drill Log	Х				Figures A.1-1 and A.1-2
8.3 Response Training.					The Asia and Country lets the
Description of response training program	Х				Section A.2 and Figure A.2-2
Personnel Training Logs	Х				Section A.2 and Figure A.2-2
Discharge Prevention Meeting Log	Х				Section A.2 and Figure A.2-2

FRP NUMBER: FRP07A0023						
FACILITY NAME: Magellan Pipeline Company - St. Joe Terminal	YES	NO	N/A	Page	Comments	
9.0 Diagrams [40 CFR 112.20 (h)(9)].		X Adequately Addres				
Site diagram, including:	X	1			Figure 1; Figure C-6 and C-7	
Entire facility to scale	X				Figure 1; Figure C-6 and C-7	
 Above and below ground bulk storage tanks 	Х		-		Figure 1; Figure C-6 and C-7	
Contents and capacities of bulk storage tanks	Х				Figure 1; Figure C-4	
Contents and capacities of drum storage areas	Х				Figure 1; Figure C-4	
Contents and capacities of surface impoundments			×	= 1	NA	
Process buildings	Х				Figure 1; Figure C-6 and C-7	
Transfer areas	Х				Figure 1; Figure C-6 and C-7	
Secondary containment systems	Х				Figure 1; Figure C-6 and C-7	
 Structures where hazardous materials are used and capacity 	Х				Figure 1; Figure C-6 and C-7	
 Location of communication and emergency response equipment 	Х				Figure 1; Figure C-6 and C-7	
 Location of electrical equipment which contains oil 	Х				Figure 1; Figure C-6 and C-7	
 If a "complex" facility, interface between EPA and other regulating agencies 			X		not applicable	
Site Drainage Diagram, including:						
 Major sanitary and storm sewers, manholes and drains 	Х				Figure 1; Figure C-6 and C-7	
Weirs and shut-off valves	Х				Figure 1; Figure C-6 and C-7	
Surface water receiving streams	Х				Figure 1; Figure C-6 and C-7	
Fire fighting water sources	Х				Figure 1; Figure C-6 and C-7	
Other utilities	Х	==			Figure 1; Figure C-6 and C-7	
Response personnel ingress and egress	Х				Figure 1; Figure C-6 and C-7	
Equipment transportation routes	Х	=			Figure 1; Figure C-6 and C-7	
Direction of spill flow from release points	Х				Figure 1; Figure C-4 and C-6	
Site Evacuation Diagram, including:						
Site plan diagram with evacuation routes	Х				Figure 2; Figure C-7	

FRP NUMBER: FRP07A0023					The state of the s
FACILITY NAME: Magellan Pipeline Company - St. Joe Terminal	YES	NO	N/A	Page	Comments
 Location of evacuation regrouping areas 	Х				Figure 2; Figure C-7
10.0 Site Security . Facilities are required to maintain a certain level of security, as appropriate [40 CFR 112.20 (h)(10)].				y Addre ciencies	
Emergency cut-off locations	Х				Figure C-3
Enclosure (fencing, etc.)	Х				Figure C-3
Guards and their duties, day and night	Х				Figure C-3
Lighting	Х				Figure C-3
Valve and pump locks	Х				Figure C-3
Pipeline connection caps	Х				Figure C-3
11.0 Response Plan Cover Sheet [40 CFR 112.20 (h)(11)].				y Addre ciencies	
Page One:					
Owner/operator of facility	Х				Figure E-5
Facility name	Х				Figure E-5
Facility address	Х				Figure E-5
Facility phone number	Х		_		Figure E-5
 Latitude and longitude 	Х				Figure E-5
Dun and Bradstreet number	Х				Figure E-5
 Standard Industrial Classification (SIC) Code Largest oil tank storage capacity 		_			Figure E-5
					Figure E-5
Maximum oil storage capacity	Х				Figure E-5
Number of storage oil tanks					Figure E-5
Worst case discharge amount			Ē		Figure E-5
Facility distance to navigable waters	X				Figure E-5
Page Two:					
Page Two: • Applicability of substantial harm criteria	Х				Figure E-5
	Х			<u> </u>	Figure E-5

IV. FACILITY RESPONSE PLAN REVIEW	4943	4	LEXIVE HE	le de la constante de la const	
FRP NUMBER: FRP07A0023 FACILITY NAME: Magellan Pipeline Company - St. Joe Terminal		r r from			
		NO	N/A	Page	Comments
12.0 Additional Requirement for Plans not in EPA Format.	X Adequately Addressed Minor Deficiencies Not Addressed				
Does plan have stand-alone Emergency Response Action Plan at front of plan or in separate binder (regardless of format)?	X				Separate binder
Does the plan contain a proper cross reference to the EPA format as outlined in 40 CFR 112 Appendix F?	х				Appendix E

OTHER COMMENTS:

A review of the FRP concurs with the Facility Self-Certification that the Kansas City Terminal is a "Significant and Substantial Harm" facility. The revised Plan sections adequately address all deficiencies noted by previous plan reviews. The facility shall be notified that the Plan is in full compliance with 40 CFR 112 Appendix F requirements.

PLANNING DISTANCE CALCULATIONS WORKSHEET

APPENDIX C TO 40 CFR 112

The facility must evaluate whether the facility is located at a distance such that a discharge from the facility could cause injury to the environments OR a public drinking water intake.

A regulated facility may meet the substantial harm criteria without having to perform a planning distance calculation. The planning distance calculation is not necessary for facilities that have inadequate secondary containment or that have experienced a reportable oil spill in an amount greater than or equal to 10,000 gallons (238 barrels) within the past 5 years.

If more than one type of navigable water condition applies to a facility, then the facility is required to perform a planning distance calculation for each navigable water type to determine the greatest single distance that oil may be transported.

Time interval, hours (Table 3 of 40 CFR 112, Appendix C)

Constant conversion factor (0.68 sec•mile/hr•ft)

A. Planning Distance = V x T x C (miles) V = 1.5/n x r^{2/3} x s^{1/2} (ft/sec) Chezy-Manning's Equation where n = Manning's Roughness Coefficient (Table 1 of 40 CFR 112, Appendix C) = 0.04 r = Hydraulic radius, feet (average mid-channel depth x 0.667) = 10.005 feet* s = Average slope of moving waterway (USGS topo maps) = 3.977273e-04 V = 3.47 ft/s

Planning Distance = 63.8 miles

MOVING NAVIGABLE WATERS CALCULATION

T

Missouri River

27

hours

^{*} estimated river depth

WORST CASE DISCHARGE WORKSHEET

APPENDIX D TO 40 CFR 112 PART A: ONSHORE STORAGE FACILITIES

l .	SING	GLE-T	ANK FACILITIES		⊠ Not Applicable
	A.	If se	condary containment is adequa	ite, then WCD = 80% of tank's capaci	ity.
			WCD(gals) =		_
	B.	If se		equate, then WCD = tank's capacity	
			WCD(gals) =		_
II.	MUL	LTIPLE	E-TANK FACILITIES		□ Not Applicable
	Do A	ALL AS	STs lack adequate secondary c	ontainment?	
			\Box YES \rightarrow Go to A.		
			\bowtie NO \rightarrow Go to B.		
	A.	If all	ASTs lack adequate secondar	y containment, than WCD = total capa	acity of all ASTs.
			WCD (gal) =	0	_
	B.	1.	Calculate the total abovegrou ASTs have adequate second		dary containment. This value is X. If all
			X(gals) =	0	_
		2.	Calculate the capacity of the		econdary containment or the combined this value is Y.
			Y (gals) =	2,321,890	_
		3.	WCD = X + Y		
			WCD (gals) =	2,321,890	
111	Wor	rst Cas	se Discharge for this Facility		
			WCD (gals) =	2,321,890	
			WCD (barrels) =	55,283	
					_

Note: Section III, Worst Case Discharge for this Facility, is automatically carried down to the planning discharge worksheet below.

WORKSHEET TO PLAN VOLUME OF RESPONSE RESOURCES FOR WORST CASE DISCHARGE

APPENDIX E TO 40 CFR 112

PART I. Background Information			
Step A. Calculate Worst Case Discharge in barrels (Appendix D)		55,283	
	1	(A)	
Step B. Oil Group (Table 3 and section 1	.2 of 40 CFR 112, Appendix E)		
Step C. Operating Area (choose one)	⊠ Rivers and Canals		
Step D. Percentages of Oil (Table 2 of 4	0 CFR, Appendix E)		
	Percent Lost to Natural Dissipation (D1)	80	
	Percent Recovered Floating Oil (D2)	10	
	Percent Oil Onshore (D3)	10	
Step E1. On-Water Oil Recovery (Step (5,528		
Step E2. Shoreline Recovery (Step (D3)	5,528		
Step F. Emulsification Factor (Table 3 of	1.0		
Step G. On-Water Oil Recovery Resource	ce Mobilization Factor (Table 4 of 40 CFR 112	, Appendix E)	
Tier 1 (G1)	Tier 2 (G2)	Tier 3 (G3)	
0.30	0.40	0.60	
PART II. On-Water Oil Recovery Capa	city (barrels/day)	Michella Mit et (15e)	
Tier 1 (E1 * F * G1) in barrels/day	Tier 2 (E1 * F * G2) in barrels/day	Tier 3 (E1 * F * G3) in barrels/day	
1,658 2,211		3,317	
PART III. Shoreline Cleanup Volume (I	5,528		
PART IV. On-Water Response Capacit	y by Operating Area (Table 5 of 40 CFR 112	2, Appendix E)	
Tier 1 (J1) Tier 2 (J2)		Tier 3 (J3)	
1,875 3,750		7,500	
PART V. On-Water Amount Needed to	be Identified, but not Contracted for in Ad	vance (barrels/day)	
Tier 1 (Part II Tier 1 - J1)	Tier 2 (Part II Tier 2 - J2)	Tier 3 (Part II Tier 3 - J3)	
(217)	(1,539)	(4,183)	